

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>			1. CONTRACT ID CODE	PAGE OF PAGES
2. AMENDMENT/MODIFICATION NO. 0005	3. EFFECTIVE DATE 9 August 2002	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO. (If applicable)	
6. ISSUED BY US Army Corps of Engineers, Philadelphia District 100 Penn Square East, Wanamaker Building Philadelphia, PA 19107	CODE	7. ADMINISTERED BY (If other than Item 6) US Army Corps of Engineers, Philadelphia District 100 Penn Square East, Wanamaker Building Philadelphia, PA 19107	CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State and ZIP Code)			(√)	9A. AMENDMENT OF SOLICITATION NO. DACA61-02-R-0003
			×	9B. DATED (SEE ITEM 11) 12 July 2002
				10A. MODIFICATION OF CONTRACTS/ORDER NO.
				10B. DATED (SEE ITEM 13)
CODE	FACILITY CODE			

**11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS**

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers  is extended,  is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning \_\_\_\_\_ copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

**12. ACCOUNTING AND APPROPRIATION DATA (If required)**

Construct Fire Crash/Rescue Station, Dover Air Force Base, Dover, Delaware

**13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.**

(√)	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
	D. OTHER (Specify type of modification and authority)

**E. IMPORTANT:** Contractor  is not,  is required to sign this document and return \_\_\_\_\_ copies to the issuing office.

**14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)**

**THIS AMENDMENT DOES NOT EXTEND THE AUGUST 13, 2002 DATE FOR SUBMISSION OF PROPOSALS.**

(CONTINUED)

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)		16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)	
15B. CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
_____ (Signature of person authorized to sign)		BY _____ (Signature of Contracting Officer)	

14. DESCRIPTION OF AMENDMENT (Continued)

a. CONTRACT DRAWINGS:

1. Please make the following pen and ink change to the Sediment and Erosion Control Legend on Drawing Number C25. Please change the first item from "CONTRACTOR WORK LIMIT" to "CONTRACTOR WORK LIMIT AND LIMIT OF TEMPORARY PERIMETER FENCE". Please change the second item from "CONTRACTOR WORK LIMIT AND SHADOW FENCE LINE" to "CONTRACTOR WORK LIMIT".
2. Please make the following pen and ink change to Drawing Numbers C34 & C35. Please change the reference of "6" TOPSOIL AND SOD" to "3" TOPSOIL AND SOD".
3. Please make the following pen and ink change to Drawing Number T1. Please change the General Note to indicate that the demolition of the existing fire station Building 510, including removal and disposal of hazardous materials is not part of the base bid and is an Option.

b. SECTION 00810 – WAGE RATES

1. Please add pages 00810-6 thru 00810-9 which are attached hereto.

c. ADDITIONAL INFORMATION:

1. Attached is a Summary of Analytical Data for the Fire Crash/Rescue Site. (3 pages)

d. Please indicate receipt of this amendment on Standard Form 1442 (SOLICITATION, OFFER, AND AWARD) as Amendment No. 0005. Failure to acknowledge all amendments may be cause for rejection of the proposal.

General Decision Number DE020009

General Decision Number DE020009  
 Superseded General Decision No. DE010009  
 State: DELAWARE Construction Type:  
 BUILDING County(ies):  
 KENT BUILDING CONSTRUCTION PROJECTS (does not include residential  
 construction consisting of single family homes and apartments up  
 to and including 4 stories)

Modification Number Publication Date

0	03/01/2002
1	03/08/2002
2	03/22/2002
3	05/03/2002
4	05/24/2002
5	06/14/2002
6	06/28/2002
7	07/05/2002

COUNTY(ies):

KENT ASBE0042A 07/15/1999

	Rates	Fringes	
ASBESTOS WORKERS/INSULATORS			
Includes the application of all insulating materials; protective coverings, coatings, and finishes to all types of mechanical systems	23.99	9.89	
-----			
BOIL0193C 10/01/2001			
	Rates	Fringes	
BOILERMAKERS	25.57	12.76	
-----			
BRDE0001C 05/01/2001			
	Rates	Fringes	
BRICKLAYERS	21.00	8.73	
-----			
CARP1545A 05/01/1998			
	Rates	Fringes	
MILLWRIGHTS	27.41	7.49	
-----			
ELEC0313A 12/01/2001			
	Rates	Fringes	
ELECTRICIANS	28.38	46.58%	
-----			

ENGI0542S 05/01/2002

	Rates	Fringes
POWER EQUIPMENT OPERATORS:		
Cranes	23.69	12.49+A
Forklifts	23.35	12.39+A

FOOTNOTE:

A. PAID HOLIDAYS: New Year's Day, Memorial Day; Independence Day; Labor Day; Thanksgiving Day; Christmas Day; and Election Day (Provided the employee works the scheduled work day following the holiday)

-----  
 \* IRON0451A 07/01/2002

	Rates	Fringes
IRONWORKERS	25.60	15.05

-----  
 LABO0847D 05/01/2001

	Rates	Fringes
LABORERS; SKILLED: Includes Air/Pneumatic Tool Operators; Mason Tenders, Brick and Cement; Concrete Laborers; Concrete Saw and Drill Operators and Stripping of Form Work		
	16.09	8.11

-----  
 PAIN0021V 05/01/2001

	Rates	Fringes
PAINTERS: SPRAY	21.98	7.08

-----  
 PLAS0008B 05/01/2001

	Rates	Fringes
PLASTERS	25.35	13.40

-----  
 PLAS9592A 05/01/2002

	Rates	Fringes
CEMENT MASONS	25.50	6.00

-----  
 PLUM0074C 06/18/2001

	Rates	Fringes
KENT COUNTY (Northern part to southern City line of Dover)		
PLUMBERS & PIPEFITTERS	29.74	13.55+A

FOOTNOTE:

A. PAID HOLIDAYS: Labor Day, Christmas Day, and General Election Day.

-----  
 PLUM0782C 02/15/2002

	Rates	Fringes
--	-------	---------

KENT COUNTY (Except area North of the Southern boundary of Dover).

PLUMBERS & PIPEFITTERS:

COMMERCIAL	17.80	5.56
INDUSTRIAL	25.58	5.56

-----  
\* SHEE0019C 07/01/2002

	Rates	Fringes	
SHEET METAL WORKERS	26.30		17.94+A

FOOTNOTE:

PAID HOLIDAY: Election Day.  
-----

SUDE1002A 11/01/1993

	Rates	Fringes	
CARPENTERS (INCLUDING DRYWALL HANGING)	16.38		
GLAZIERS	19.33	2.85	
LABORERS; UNSKILLED		8.71	
PAINTERS:			
BRUSH & ROLLER (Excluding Drywall Finishing)	13.09		
POWER EQUIPMENT OPERATORS:			
Backhoe	22.37		
SPRINKLER FITTERS	20.84	4.32	
TRUCK DRIVERS	11.64		

-----  
WELDERS - Receive rate prescribed for craft performing operation to which welding is incidental.  
=====

=

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29 CFR 5.5(a)(1)(v)).  
-----

In the listing above, the "SU" designation means that rates listed under that identifier do not reflect collectively bargained wage and fringe benefit rates. Other designations indicate unions whose rates have been determined to be prevailing.

WAGE DETERMINATION APPEALS PROCESS

1.) Has there been an initial decision in the matter? This can be:

- \* an existing published wage determination
- \* a survey underlying a wage determination

- \* a Wage and Hour Division letter setting forth a position on a wage determination matter
- \* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations  
Wage and Hour Division  
U. S. Department of Labor  
200 Constitution Avenue, N. W.  
Washington, D. C. 20210

2.) If the answer to the question in 1.) is yes, then an interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator  
U.S. Department of Labor  
200 Constitution Avenue, N. W.  
Washington, D. C. 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board  
U. S. Department of Labor  
200 Constitution Avenue, N. W.  
Washington, D. C. 20210

4.) All decisions by the Administrative Review Board are final.  
END OF GENERAL DECISION

Table 1  
 SUMMARY OF ANALYTICAL DATA  
 PROPOSED FIRE AND RESCUE SITE  
 DOVER AIR FORCE BASE  
 DOVER, DELAWARE

Sample Identification	DNREC URS for Unrestricted Use (mg/kg)	DERBCAP Tier 0 Action Levels (mg/kg)	DFS-1	DFS-2	DFS-3	DFS-4	DFS-5	DFS-6	DFS-7	DFS-8	DFS-9
Sampling Date (month/day/year)			5/10/02	5/8/02	5/9/02	5/8/02	5/10/02	5/6/02	5/10/02	5/13/02	5/13/02
Sample Depth (feet)			2-4	2-4	2-4	2-4	2-4	4-6	2-4	2-4	2-4
Matrix			Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
Benzene		0.23	<0.006	<0.006	<0.006	<0.007	<0.007	<0.006	<0.006	<0.270 <sup>1</sup>	<0.009
Toluene	100		<0.006	<0.006	<0.006	<0.007	<0.007	<0.006	<0.006	<0.270	<0.009
Ethylbenzene	70		<0.006	<0.006	<0.006	<0.007	<0.007	<0.006	<0.006	0.82	<0.009
Xylenes	420		<0.006	<0.006	<0.006	<0.007	<0.007	<0.006	<0.006	6.0	<0.009
Tertiary Butyl Alcohol (TBA)	NL		<0.120	<0.100	<0.110	<0.130	<0.140	<0.110	<0.110	<5.4	<0.170
Methyl Tertiary Butyl Ether (MTBE) (ug/kg or ppb)	NL	130	<6	<6	<6	<7	<7	<6	<6	<270 <sup>1</sup>	<9
Tertiary Amyl Methyl Ether (TAME)	NL		<0.006	<0.006	<0.006	<0.007	<0.007	<0.006	<0.006	<0.270	<0.009
Trichloroethane (TCE)	0.5		<0.006	<0.006	<0.006	<0.007	<0.007	<0.006	<0.006	<0.270	<0.009
1,1-Dichloroethane (1,1-DCE)	8		<0.006	<0.006	<0.006	<0.007	<0.007	<0.006	<0.006	<0.270	<0.009
BTEX (mg/kg)		10	ND	ND	ND	ND	ND	ND	ND	6.82	ND
TPH-GRO (mg/kg)		100	<1.2	<1.1	<1.1	<1.2	<1.1	<1.1	<1.1	<1.1	<1.2
TPH-DRO (mg/kg)		1,000	<14	<14	<13	<15	<14	<14	<13	<14	<14
PCE-1016	6		NS	<0.019	<0.019	NS	NS	NS	<0.019	NS	NS
PCE-1221	0.3		NS	<0.019	<0.019	NS	NS	NS	<0.019	NS	NS
PCE-1232	0.3		NS	<0.019	<0.019	NS	NS	NS	<0.019	NS	NS
PCE-1242	0.3		NS	<0.019	<0.019	NS	NS	NS	<0.019	NS	NS
PCE-1248	0.3		NS	<0.019	<0.019	NS	NS	NS	<0.019	NS	NS
PCE-1254	0.3		NS	<0.019	<0.019	NS	NS	NS	<0.019	NS	NS
PCE-1260	0.3		NS	<0.018	<0.019	NS	NS	NS	<0.019	NS	NS

Notes:  
 ppm= parts per million  
 mg/kg= milligrams per kilogram  
 ppb= parts per billion  
 ug/kg= micrograms per kilogram  
 ND= Not Detected  
 NS= Not Sampled  
 The State of Delaware Department of Natural Resources and Environmental Control (DNREC), Uniform Risk Based Remediation Standards are listed in the December 1999, "Remediation Standards Guidance Under The Delaware Hazardous Substance Cleanup Act."  
 DERBCAP Tier 0 Action Levels are published in the State of Delaware "Risk-Based Corrective Action Program (DERBCAP) Guide for Underground Storage Tank (UST) Sites," dated January 2000.  
 ND in BTEX = none of the chemical compounds (Benzene, Toluene, Ethylbenzene, Xylene) were detected above their respective Laboratory limit of quantitation  
 < # = less than the limit of Quantitation set by Lancaster Laboratories (# = limit of Quantitation)  
 NL = No limit under DNREC-SIRB URS  
 MS = Matrix Spike  
 MSD= Matrix Spike Duplicate  
<sup>1</sup>Laboratory Quantitation Limit is elevated due to interference from the presence of other substances.  
 Shaded value denotes concentrations which are greater than the DNREC Uniform Risk Based Remediation Standards and DERBCAP Tier 0 Action Levels

Table 1  
 SUMMARY OF ANALYTICAL DATA  
 PROPOSED FIRE AND RESCUE SITE  
 DOVER AIR FORCE BASE  
 DOVER, DELAWARE

Sample Identification	DNREC URS for Unrestricted Use (mg/kg)	DERBCAP Tier 0 Action Levels (mg/kg)	DFS-10 MS	DFS-10 MSD	DFS-11	DFS-12	DFS-13	DFS-14	DFS-15	DFS-16	DFS-17
Sampling Date (month/day/year)	DFS-10 MS	DFS-10 MSD	DFS-11	DFS-12	DFS-13	DFS-14	DFS-15	DFS-16	DFS-17	DFS-18	DFS-19
Sample Depth (feet)	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
Matrix	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil	Soil
<b>Volatile Organic Compounds (VOCs) (mg/kg)</b>											
Benzene	<0.006	0.23	0.029	0.030	<0.007	<0.007	<0.006	<0.006	<0.006	<0.007	<0.006
Toluene	<0.006	100	0.024	0.025	<0.007	<0.007	<0.006	<0.006	<0.006	<0.007	<0.006
Ethylbenzene	<0.006	70	0.024	0.025	<0.007	<0.007	<0.006	<0.006	<0.006	<0.007	<0.006
Xylene	<0.006	420	0.073	0.075	<0.007	<0.007	<0.006	<0.006	<0.006	<0.007	<0.006
Tertiary Butyl Alcohol (TBA)	NL	NL	0.380	0.340	<0.140	<0.130	<0.110	<0.130	<0.110	<0.130	<0.110
Methyl Tertiary Butyl Ether (MTBE) (ug/kg or ppb)	<6	130	31	32	<7	<7	<6	<6	<6	<7	<6
Tertiary Amyl Methyl Ether (TAME)	<0.006	NL	0.030	0.031	<0.007	<0.007	<0.006	<0.006	<0.006	<0.007	<0.006
Trichloroethene (TCE)	<0.006	0.5	0.028	0.029	<0.007	<0.007	<0.006	<0.006	<0.006	<0.007	<0.006
1,1-Dichloroethane (1,1-DCE)	<0.006	8	0.031	0.032	<0.007	<0.007	<0.006	<0.006	<0.006	<0.007	<0.006
BTEX (mg/kg)	ND	10	0.15	0.155	ND						
<b>Total Petroleum Hydrocarbons-Gasoline Range Organics</b>											
TPH-GRO (mg/kg)	<1.1	100	9.2	9.6	<1.2	<1.1	<1.1	<1.1	<1.2	<1.2	<1.1
<b>Total Petroleum Hydrocarbons-Diesel Range Organics</b>											
TPH-DRO (mg/kg)	<14	1,000	67	67	<15	<14	<14	<13	<15	<14	<13
<b>Polychlorinated Biphenyls (PCBs) (mg/kg)</b>											
PCB-1016	<0.019	5	0.17	0.17	<0.021	NS	NS	<0.019	NS	<0.020	NS
PCB-1221	<0.019	0.3	<0.019	<0.019	<0.021	NS	NS	<0.019	NS	<0.020	NS
PCB-1232	<0.019	0.3	<0.019	<0.019	<0.021	NS	NS	<0.019	NS	<0.020	NS
PCB-1242	<0.019	0.3	<0.019	<0.019	<0.021	NS	NS	<0.019	NS	<0.020	NS
PCB-1248	<0.019	0.3	<0.019	<0.019	<0.021	NS	NS	<0.019	NS	<0.020	NS
PCB-1254	<0.019	0.3	<0.019	<0.019	<0.021	NS	NS	<0.019	NS	<0.020	NS
PCB-1260	<0.019	0.3	0.17	0.17	<0.021	NS	NS	<0.019	NS	<0.020	NS

**Notes:**  
 ppm= parts per million  
 mg/kg= milligrams per kilogram  
 ppb= parts per billion  
 ug/kg= micrograms per kilogram  
 ND= Not Detected  
 NS= Not Sampled  
 The State of Delaware Department of Natural Resources and Environmental Control (DNREC), Uniform Risk Based Remediation Standards are listed in the December 1999, "Remediation Standards Guidance Under The Delaware Hazardous Substance Cleanup Act."  
 DERBCAP Tier 0 Action Levels are published in the State of Delaware "Risk-Based Corrective Action Program (DERBCAP) Guide for Underground Storage Tank (UST) Sites," dated January 2000.  
 ND in BTEX = none of the chemical compounds (Benzene, Toluene, Ethylbenzene, Xylene) were detected above their respective Laboratory limit of quantitation  
 <# = less than the limit of Quantitation set by Lancaster Laboratories (# = limit of Quantitation)  
 NL = No limit under DNREC-SIRB URS  
 MS = Matrix Spike  
 MSD= Matrix Spike Duplicate  
 1 Laboratory Quantitation Limit is elevated due to interference from the presence of other substances.  
 Shaded value denotes concentrations which are greater than the DNREC Uniform Risk Based Remediation Standards and DERBCAP Tier 0 Action Levels

Table 1  
 SUMMARY OF ANALYTICAL DATA  
 PROPOSED FIRE AND RESCUE SITE  
 DOVER AIR FORCE BASE  
 DOVER, DELAWARE

Sample Identification	DNREC URS for Unrestricted Use (mg/kg)	DERBCAP Tier 0 Action Levels (mg/kg)	DFS-18 5/6/02 2-4 Soil	DFS-19 5/6/02 4-6 Soil	DFS-20 5/3/02 4-6 Soil	DFS-21 5/10/02 4-6 Soil	DFS-21 MS 5/10/02 4-6 Soil	DFS-21 MSD 5/10/02 4-6 Soil	DFS-22 5/10/02 4-6 Soil	DFS-23 5/1/02 2.5-4.5 Soil	DFS-24 5/1/02 2-4 Soil
<b>Volatiles/Organic Compounds (VOCs) (mg/kg)</b>											
Benzene		0.23	< 0.006	< 0.006	< 0.006	0.720	1.20	1.40	< 0.280	0.013	0.62
Toluene	100		< 0.006	< 0.006	< 0.006	< 0.340	0.90	0.95	< 0.280	< 0.006	< 0.310
Ethylbenzene	70		< 0.006	< 0.006	< 0.006	16	19.0	6.40	0.55	< 0.006	3.2
Xylene	420		< 0.006	< 0.006	< 0.006	< 0.340	3.00	3.00	< 0.280	< 0.006	3
Tertiary Butyl Alcohol (TBA)	NL		< 0.100	< 0.120	< 0.120	< 6.9	11.0	12.0	< 5.6	< 0.100	< 6.2
Methyl Tertiary Butyl Ether (MTBE) (ug/kg or ppb)		130	< 6	< 6	< 6	< 340 <sup>1</sup>	1.20	1.10	< 280 <sup>1</sup>	< 6	< 310 <sup>1</sup>
Tertiary Amyl Methyl Ether (TAME)	NL		< 0.006	< 0.006	< 0.006	< 0.340	1.10	1.00	< 0.280	< 0.006	< 0.310
Trichloroethene (TCE)	0.5		< 0.006	< 0.006	< 0.006	< 0.340	0.52	0.96	< 0.280	< 0.006	< 0.310
1,1-Dichloroethane (1,1-DCE)	8		< 0.006	< 0.006	< 0.006	< 0.340	0.86	0.87	< 0.280	< 0.006	< 0.310
<b>BTEX (mg/kg)</b>											
Total Petroleum Hydrocarbons-Gasoline-Range Organics		10	ND	ND	ND	16.72	24.1	11.75	0.55	0.013	6.82
TPH-GRO (mg/kg)		100	< 1.1	< 1.2	< 1.2	590	860	500	150	< 1.1	120
<b>Total Petroleum Hydrocarbons-Diesel-Range Organics</b>											
TPH-DRO (mg/kg)		1,000	< 14	< 14	< 15	1100	1200	1200	390	< 14	2,700
<b>Polychlorinated Biphenyls (PCBs) (mg/kg)</b>											
PCB-1016	6		NS	NS	< 0.021	NS	NS	NS	NS	< 0.019	NS
PCB-1221	0.3		NS	NS	< 0.021	NS	NS	NS	NS	< 0.019	NS
PCB-1232	0.3		NS	NS	< 0.021	NS	NS	NS	NS	< 0.019	NS
PCB-1242	0.3		NS	NS	< 0.021	NS	NS	NS	NS	< 0.019	NS
PCB-1248	0.3		NS	NS	< 0.021	NS	NS	NS	NS	< 0.019	NS
PCB-1254	0.3		NS	NS	< 0.021	NS	NS	NS	NS	< 0.019	NS
PCB-1260	0.3		NS	NS	< 0.021	NS	NS	NS	NS	< 0.019	NS

**Notes:**  
 ppm= parts per million  
 mg/kg= milligrams per kilogram  
 ppb= parts per billion  
 ug/kg= micrograms per kilogram  
 ND= Not Detected  
 NS= Not Sampled  
 The State of Delaware Department of Natural Resources and Environmental Control (DNREC), Uniform Risk Based Remediation Standards are listed in the December 1999, "Remediation Standards Guidance Under The Delaware Hazardous Substance Cleanup Act."  
 DERBCAP Tier 0 Action Levels are published in the State of Delaware "Risk-Based Corrective Action Program (DERBCAP) Guide for Underground Storage Tank (UST) Sites," dated January 2000.  
 ND in BTEX = none of the chemical compounds (Benzene, Toluene, Ethylbenzene, Xylene) were detected above their respective Laboratory limit of quantitation  
 < # = less than the limit of Quantitation set by Lancaster Laboratories (# = limit of Quantitation)  
 NL = No limit under DNREC-SIRB URS  
 MS = Matrix Spike  
 MSD= Matrix Spike Duplicate  
<sup>1</sup> Laboratory Quantitation Limit is elevated due to interference from the presence of other substances.  
 Shaded value denotes concentrations which are greater than the DNREC Uniform Risk Based Remediation Standards and DERBCAP Tier 0 Action Levels